

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12	1	pump and (body housing casing cover case lid) and (drive near3 gear) and (driven near3 gear) and ((discharge outlet pressure) with port with (notch pathway passage passageway path) with (body casing case housing cover lid (light near3 alloy) aluminum)) and (length with (notch pathway passage passageway path)) and ((notch pathway passage passageway path) with (triangular triangle)) and ((notch pathway passage passageway path) with (inclined incline (depth near3 decreas\$3) angle angled))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/01/20 08:50
S13	33	pump and (body housing casing cover case lid) and ((discharge outlet pressure) with port with (notch pathway passage passageway path) with (body casing case housing cover lid (light near3 alloy) aluminum)) and (length with (notch pathway passage passageway path)) and ((notch pathway passage passageway path) with (triangular triangle)) and ((notch pathway passage passageway path) with (inclined incline (depth near3 decreas\$3) angle angled))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/01/20 08:51
S14	1630	418/164,166,168,169,170,171.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/01/20 08:52
S19	1630	418/164,166,168,169,170,171.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/01/20 09:23
S20	461	418/180,189.ccls. not S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/01/20 09:23

## EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp

S15	3	(MATSUO.IN. HONGOYA.IN. IWASE.IN. SHIBAYAMA.IN. KANESO.IN. HIROFUMI.IN. HANAWA.IN. MIYAMOTO.IN. SUZUKI.IN. AISI.N.AS. TOYOTA. AS.) and pump and (body housing casing cover case lid) and (drive near3 gear) and (driven near3 gear) and ((discharge outlet pressure) with port with (notch pathway passage passageway path) with (body casing case housing)) and (driven near3 gear) and ((discharge outlet pressure) with port with (notch pathway passage passageway path) with (cover lid)) and (length with (notch pathway passage passageway path))	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 08:43
S16	3	(MATSUO.IN. HONGOYA.IN. IWASE.IN. SHIBAYAMA.IN. KANESO.IN. HIROFUMI.IN. HANAWA.IN. MIYAMOTO.IN. SUZUKI.IN. AISI.N.AS. TOYOTA. AS.) and pump and (body housing casing cover case lid) and (drive near3 gear) and (driven near3 gear) and ((discharge outlet pressure) with port with (notch pathway passage passageway path) with (body casing case housing)) and (driven near3 gear) and ((discharge outlet pressure) with port with (notch pathway passage passageway path) with (cover lid (light near3 alloy alluminum)) and (length with (notch pathway passage passageway path))	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 08:45
S17	101	pump and (body housing casing cover case lid) and (drive near3 gear) and (driven near3 gear) and ((discharge outlet pressure) with port with (notch pathway passage passageway path) with (body casing case housing cover lid (light near3 alloy aluminum)) and (length with (notch pathway passage passageway path))	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 08:48
S18	1	S17 and ((notch pathway passage passageway path) with (triangular triangle)) and ((notch pathway passage passageway path) with (inclined incline (depth near3 decreas\$3) angle angled))	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/20 08:49

1 / 20 / 2010 9:45:42 AM

**C:\ Documents and Settings\ mdavis\ My Documents\ EAST\ Workspaces\ 10585188 - Oil pump - bubble collector via a notch in cover.wsp**